PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

The PreForm Curb is composite of 2lb density EPS expanded polystyrene foam insulation, as a base material. The entire assembly is lined with fiberglass. A finish coat of latex-modified, cementitious coating is then applied. This MSDS will be treated as a three-part document covering: (A) the expanded polystyrene foam thermal insulation and (B) the fiberglass mesh

(A) DuraCore® EXPANDED POLYSTYRENE THERMAL INSULATION

1. Product and Company Identification:

Product Name: DuraCore OEM EPS

Manufacturer: Plymouth Foam, Plymouth, WI 53073 (800)669-1176

Emergency Contact: (920)893-0535

2. Composition/Information on Ingredients:

	TLV	PEL	CAS
Chemical Name		CAS Number	
Polystyrene		009003-53-6	
Flame Retardant Additive			

This document was prepared pursuant to the OSHA hazard communication standard (29 CFR 1910.1200). In addition, other substances not hazardous per this OSHA standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard. This part of the document has been taken from MSDS information supplied to us from THE MANUFACTURER.

3. Physical and Chemical Properties:

Boiling Point	.Not Applicable
Melting Point	Softens at 175°F to 220°F
Percent Volatiles	
Vapor Pressure	
Vapor Density	
Evaporation Rate	* *
Solubility in water	
Specific Gravity/Density	
Appearance	
Odor	
pH	0 7
Physical State	

4. Fire and Explosion Hazard Data:

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

Hazardous Combustion Products: Not Applicable

Fire-fighting Instructions: Keep people away. Isolate fire area and deny unnecessary entry. If material is molten, do not apply direct water stream. Use fine water spray or foam. Soak thoroughly with water to cool and prevent re-ignition. Cool surroundings with water to localize fire zone.

Protective Fire-fighting Equipment: Use approved self-contained breathing apparatus and personal protective clothing (turn out gear)

5. Reactivity Data:

Stability: This is a stable material, avoid sources of ignition

Incompatibility with Other Materials: Reactive with oxidizing agents. Organic solvents, esters, amines and aldehydes will dissolve product. High temperature, poor ventilation with freshly expanded product may create hazardous, explosive or fire conditions.

Hazardous Decomposition Products: Does not normally decompose. Evolution of small amounts of hydrogen halides occurs when heated above 250°C. Under high heat, non-flaming conditions, small amounts of aromatic hydrocarbons such as styrene and ethylbenzene are generated. Hazardous decomposition products depend upon temperature, air supply and the presence of other materials. Hazardous decomposition products may include and are not limited to ethylbenzene, aromatic compounds, aldehydes, hydrogen bromide, hydrogen chloride, hydrogen fluoride, polymer fragments, and styrene.

Hazardous Polymerization: Will not occur

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

6. Health Hazard Data:

Eye: Dust particles may cause eye irritation and/or injury

Skin Contact: None. May produce slight irritation is a few individuals

Ingestion: Biologically inert. May act as an obstruction if swallowed.

Inhalation: Little or no smell. May cause dizziness in a few individuals.

Systemic (Other Target Organ) Effects: None.

Cancer Information: None.

Teratology (Birth Defects): None.

Reproductive Effects: None.

7. First Aid:

Eyes: Flush eyes with water for 15 minutes. Seek medical attention if irritation persists.

Skin: Wash with mild soap and running water. Rmove and launder contaminated clothing before reuse. Seek medical attention if irritation persists.

Ingestion: Ingestion of this material is unlikely. If it does occur, do not induce vomiting, seek medical attention.

Inhalation: Move person to fresh air. Seek medical attention if irritation persists

Note to Physician:

8. Handling and Storage:

Handling: Use protective equipment (gloves, safety glasses, etc.) when handling uncontained material. Avoid breathing dusts from this material.

Storage: Store in a well ventilated area. Avoid direct exposure to very high heat, open flame or other source of ignition.

9. Accidental Release Measures: (See Section NUM for Regulatory Information)

Protect People: Clear non-emergency personnel from area. Use appropriate safety equipment. For additional information, refer to Section 10, Exposure Controls/Personal Protection.

Protect the Environment: Fire/water run off may be toxic.

Cleanup: Pick up, or if dust or in small pieces, sweep up and place in suitable container for disposal. See Section 11, Disposal Considerations.

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

10. Exposure Controls/Personal Protection:

Engineering Controls: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

Respiratory Protection: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, including but not limited to saw, router, or hot wire cutting, use an approved air-purifying respirator. In dusty atmospheres, use an approved dust respirator.

Skin Protection: No precaution other than clean body-covering clothing should be needed.

Eye Protection: Use Safety Glasses. If there is a potential for exposure to particles, which could cause mechanical injury to the eye, wear chemical goggles.

11. Ecological Information::

Ecotoxicity: This product has not been tested. Based on information related to all raw materials in the finished product, it is not expected to harm the ecosystem through its applied use.

12. **Disposal Considerations**: (See Section NUM for Regulatory Information)

Disposal:

For unused & uncontaminated product,

For additional information, refer to Section NUM, Handling & Storage Information.

THE MANUFACTURER can provide names of information resources to help identify waste management companies and other facilities, which recycle, reprocess or manage PRODUCT TYPES. Call MANUFACTURER at PHONE for further details.

13. Transportation Information:

Department of Transportation (DOT): This product is not regulated by the D.O.T. when shipped domestically by land.

Canadian TDG Information: This product is not regulated by the T.D.G. when shipped domestically by land.

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

14. Regulatory Information: (Not meant to be all-inclusive - selected regulations represented)

NOTICE: The information contained herein is based on data considered to be accurate. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with Federal, State/Provincial, and local laws. While the information is believed to be reliable, NO Warranty, expressed or implied, is given in regards to the accuracy of this data or the results to be obtained from the use thereof. Since the use of this information and the conditions and use of this product are controlled by the user, it is the user's obligation to determine the conditions of safe use of the product. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. Regulations

SARA 313 Information: This product contains the following substances subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Chemical Name	CAS Number	Concentration
Chlorodifluoroethane	000075-00-3	< 15%

SARA Hazard Category: This product has been reviewed according to the EPA "Hazard Categories" promulgated under sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA, Title III) and is considered, under applicable definitions, to meet the following categories:

Not to have met any hazard category.

State Right-to-Know: The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

<u>Chemical Name</u>	CAS Number	List
Chlorodifluoroethane	000075-00-3	NJ2 PA1 NJ3
Talc	014807-96-6	PA1 NJ3

NJ2=New Jersey Environmental Hazardous Substance (present at greater than or equal to 1.0%)

NJ3=New Jersey Workplace Hazardous Substance (present at greater than or equal to 1.0%)

PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%)

Fin-Pan Inc. PF CURBS PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

OSHA Hazard Communication Standard: This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Canadian Regulations

WHMIS Information: The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:

This Product is not a "Controlled Product" under WHMIS.

Canadian Environmental Protection Act (CEPA): All substances in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

15. Other Information:

National Fire Protection	Association (NFPA) Ratings:
Health	0
Flammability	2
Reactivity	
HMIS Ratings:	
Health	0
Flammability	2
Reactivity	

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

(B) PHIFERGLASS WALLBOARD FABRIC (FIBERGLASS YARN)

1. Product and Company Identification:

Product Name: Phiferglass Wallboard Fabric

Manufacturer: Phifer Wire Products, Inc., Tuscaloosa, AL 35403 (800-633-5955)

Emergency Contact: 205-345-2120

2. Composition/Information on Ingredients:

		TLV	PEL	CAS
Chemical Name	WT%	(mg/m^3)	(mg/m^3)	<u>Number</u>
Fiberglass core Yarn	28-35	(NR)	(NR)	65997-17-3
Vinyl Coating	(P)	(NE)	(NE)	(P)
(T) - Total (NR) - No Res	triction	(NE) - Not Esta	ablished	(P) - Proprietary

This document was prepared pursuant to the OSHA hazard communication standard (29 CFR 1910.1200). In addition, other substances not hazardous per this OSHA standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard. This part of the document has been taken from MSDS information supplied to us from Phifer Wire Products, Inc.

3. Physical and Chemical Properties:

Boiling Point	.Not Applicable
Freezing Point	.Not Applicable
Percent Volatiles	.Not Applicable
Vapor Pressure	.Not Available
Vapor Density	.Not Available
Packing Density	.Not Applicable
Evaporation Rate	.Not Applicable
Solubility in water	.Insoluble
Specific Gravity/Density	.Not Available
Appearance	.Vinyl-coated Mesh
Odor	.New Vinyl
pH	.Not Applicable
Physical State	.Solid

4. Fire and Explosion Hazard Data:

Flash Point	>200°F	
Flammable Limits LFL	Not Applicable	
Flammable Limits UFL	Not Applicable	
Extinguishing Media	Foam, Dry Chemical, Carbon Dioxide, Water Fog	
Hazardous Combustion Products: Smoke and fumes.		

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

4. Fire and Explosion Hazard Data (continued):

Fire-fighting Instructions: Material will not burn in the absence of an independent flame source.

Protective Fire-fighting Equipment: Wear respirator or air mask for enclosed areas.

5. Reactivity Data:

Stability: This product is stable.

Incompatibility with Other Materials: Strong oxidizing agents.

Hazardous Decomposition Products: None.

Hazardous Polymerization: Will not occur.

6. Health Hazard Data:

Overview: Multifilament yarn coated with vinyl of various colors. Coated yarn may be woven into various meshes and have an odor of new vinyl.

Eye: No evidence of harmful effects anticipated from available information.

Skin Contact: Fibers in core yarn may irritate skin.

Ingestion: Consult physician.

Inhalation: Short-term harmful health effects are not expected from vapor generated during normal use with adequate ventilation at ambient temperature.

Systemic (Other Target Organ) Effects: No data available.

Cancer Information: No data available.

Teratology (Birth Defects): No data available.

Reproductive Effects: No data available.

7. First Aid:

Eyes: Flush eye with plenty of flowing water (eye fountain).

Skin: Frequent rinsing of skin surfaces with water to remove accumulated fibers will minimize irritation. If pain, allergy or reaction persists, get medical attention.

Ingestion: No emergency care anticipated. Get medical attention if necessary.

Inhalation: Remove to fresh air. Administer artificial respiration if necessary. Get medical aid as soon as possible.

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

8. Handling and Storage:

Handling: Keep material clean and dry and away from heat.

Storage: Store at an ambient temperature under normal atmospheric pressure.

9. Accidental Release Measures: (See Section 15 for Regulatory Information)

Containment Procedures: Due to the physical nature of this product, spills are not possible.

Evacuation Procedures: None.

Cleanup Procedures: Normal clean up methods.

Special Procedures: None.

10. Exposure Controls/Personal Protection:

Engineering Controls: General (mechanical) room ventilation is expected to be satisfactory.

Respiratory Protection: Generally not required.

Skin Protection: Generally not required.

Eye Protection: Generally not required.

11. Toxicological Information:

Mutagenicity: Toxicological data is not available.

12. Ecological Information:

Movement & Partitioning: No data available.

Degradation & Persistence: No data available.

Ecotoxicity: No data available.

13. Disposal Considerations: (See Section 15 for Regulatory Information)

Disposal: If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. As non-hazardous waste it should be disposed of in accordance with local, state and federal regulations.

For additional information, refer to Section 8, Handling & Storage Information.

14. Transportation Information:

Department of Transportation (DOT): This product is not regulated by the DOT when shipped domestically by land.

PREFORMED UNDERLAYMENT COMPONENTS

MATERIAL SAFETY DATA SHEET

15. Regulatory Information: (Not meant to be all-inclusive - selected regulations represented)

NOTICE: The information contained herein is based on data considered to be accurate. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with Federal, State/Provincial, and local laws. While the information is believed to be reliable, NO Warranty, expressed or implied, is given in regards to the accuracy of this data or the results to be obtained from the use thereof. Since the use of this information and the conditions and use of this product are controlled by the user, it is the user's obligation to determine the conditions of safe use of the product. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. Regulations:

Sara Title III (Superfund Amendments and Reauthorization Act):

313/312 Hazard Categories: None.

313 Reportable Ingredients: None.

TSCA (Toxic Substance Control Act): Components of this product are listed on the TSCA Inventory List.

CERCLA (Comprehensive Response Compensation and Liability Act): Not reportable.

16. Other Information:

National Fire Protection Association (NFPA) Ratings:

Health......Not Available Flammability.....Not Available Reactivity.....Not Available

HMIS Ratings: