The PRODUCT is a composite of RAW MATERIALS. We will treat this MSDS as a NUMBER-part document covering: (A) PART 1, and (B) PART 2, ETC.

(A) EXPANDED POLYSTYRENE THERMAL INSULATION

1. Product and Company Identification:

Product Name: Chang He EPS 0.5x36 inch

Manufacturer: Chang He Foam Company; Tianjin, China

2. Composition/Information on Ingredients:

	TLV	PEL	CAS
Chemical Name	C_{A}	<u>AS Number</u>	
Polystyrene	00	09003-53-6	
Flame Retardant Additive			

This document was prepared pursuant to the OSHA hazard communication standard (29 CFR 1910.1200). In addition, other substances not hazardous per this OSHA standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard. This part of the document has been taken from MSDS information supplied to us from THE MANUFACTURER.

3. Physical and Chemical Properties:

Boiling Point	.Not Applicable
Melting Point	.Softens at 175°F to 220°F
Percent Volatiles	.<4% (pentane and water)
Vapor Pressure	.Not Applicable
Vapor Density	
Evaporation Rate	.None
Solubility in water	.Insoluble
Specific Gravity/Density	.2.0 pcf to 3.0 pcf
Appearance	.White Panels
Odor	
pH	.Not Applicable
Physical State	

4. Fire and Explosion Hazard Data:

Flash Point	610°F Min.
Method Used	ASTM D 1929
Flammable Limits LFL	Not Applicable
Flammable Limits UFL	* *
	Water Fog, Carbon Dioxide, Dry
Chemical. Foam	18, 20, 20, 20, 20, 20, 20, 20, 20, 20, 20

Hazardous Combustion Products: Not Applicable

Fire-fighting Instructions: Keep people away. Isolate fire area and deny unnecessary entry. If material is molten, do not apply direct water stream. Use fine water spray or foam. Soak thoroughly with water to cool and prevent re-ignition. Cool surroundings with water to localize fire zone.

Protective Fire-fighting Equipment: Use approved self-contained breathing apparatus and personal protective clothing (turn out gear)

5. Reactivity Data:

Stability: This is a stable material, avoid sources of ignition

Incompatibility with Other Materials: Reactive with oxidizing agents. Organic solvents, esters, amines and aldehydes will dissolve product. High temperature, poor ventilation with freshly expanded product may create hazardous, explosive or fire conditions.

Hazardous Decomposition Products: Does not normally decompose. Evolution of small amounts of hydrogen halides occurs when heated above 250°C. Under high heat, non-flaming conditions, small amounts of aromatic hydrocarbons such as styrene and ethylbenzene are generated. Hazardous decomposition products depend upon temperature, air supply and the presence of other materials. Hazardous decomposition products may include and are not limited to ethylbenzene, aromatic compounds, aldehydes, hydrogen bromide, hydrogen chloride, hydrogen fluoride, polymer fragments, and styrene.

Hazardous Polymerization: Will not occur

6. Health Hazard Data:

Eye: Dust particles may cause eye irritation and/or injury

Skin Contact: None. May produce slight irritation is a few individuals

Ingestion: Biologically inert. May act as an obstruction if swallowed.

Inhalation: Little or no smell. May cause dizziness in a few individuals.

Systemic (Other Target Organ) Effects: None.

Cancer Information: None.

Teratology (Birth Defects): None.

Reproductive Effects: None.

7. First Aid:

Eyes: Flush eyes with water for 15 minutes. Seek medical attention if irritation persists.

FIN PAN, INC. ProPanelTM FOAM BACKER BOARD <u>MATERIAL</u> <u>SAFETY DATA</u> <u>SHEET</u>

Skin: Wash with mild soap and running water. Remove and launder contaminated clothing before reuse. Seek medical attention if irritation persists.

Ingestion: Ingestion of this material is unlikely. If it does occur, do not induce vomiting, seek medical attention.

Inhalation: Move person to fresh air. Seek medical attention if irritation persists

Note to Physician:

8. Handling and Storage:

Handling: Use protective equipment (gloves, safety glasses, etc.) when handling uncontained material. Avoid breathing dusts from this material.

Storage: Store in a well ventilated area. Avoid direct exposure to very high heat, open flame or other source of ignition.

9. Accidental Release Measures: (See Section NUM for Regulatory Information)

Protect People: Clear non-emergency personnel from area. Use appropriate safety equipment. For additional information, refer to Section 10, Exposure Controls/Personal Protection.

Protect the Environment: Fire/water run off may be toxic.

Cleanup: Pick up, or if dust or in small pieces, sweep up and place in suitable container for disposal. See Section 11, Disposal Considerations.

10. Exposure Controls/Personal Protection:

Engineering Controls: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.

Respiratory Protection: Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, including but not limited to saw, router, or hot wire cutting, use an approved air-purifying respirator. In dusty atmospheres, use an approved dust respirator.

Skin Protection: No precaution other than clean body-covering clothing should be needed.

Eye Protection: Use Safety Glasses. If there is a potential for exposure to particles, which could cause mechanical injury to the eye, wear chemical goggles.

11. Ecological Information:

Ecotoxicity: This product has not been tested. Based on information related to all raw materials in the finished product, it is not expected to harm the ecosystem through its applied use.

12. **Disposal Considerations**: (See Section NUM for Regulatory Information)

Disposal:

For unused & uncontaminated product,

For additional information, refer to Section NUM, Handling & Storage Information.

THE MANUFACTURER can provide names of information resources to help identify waste management companies and other facilities, which recycle, reprocess or manage PRODUCT TYPES. Call MANUFACTURER at PHONE for further details.

13. Transportation Information:

Department of Transportation (DOT): This product is not regulated by the D.O.T. when shipped domestically by land.

Canadian TDG Information: This product is not regulated by the T.D.G. when shipped domestically by land.

14. Regulatory Information: (Not meant to be all-inclusive - selected regulations represented)

NOTICE: The information contained herein is based on data considered to be accurate. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with Federal, State/Provincial, and local laws. While the information is believed to be reliable, NO Warranty, expressed or implied, is given in regards to the accuracy of this data or the results to be obtained from the use thereof. Since the use of this information and the conditions and use of this product are controlled by the user, it is the user's obligation to determine the conditions of safe use of the product. The following specific information is made for the purpose of complying with numerous federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. Regulations

SARA 313 Information: This product contains the following substances subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

FIN PAN, INC. ProPanelTM FOAM BACKER BOARD <u>MATERIAL</u> <u>SAFETY DATA</u> <u>SHEET</u>

Chemical Name	CAS Number	Concentration
Chlorodifluoroethane	000075-00-3	< 15%

SARA Hazard Category: This product has been reviewed according to the EPA "Hazard Categories" promulgated under sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA, Title III) and is considered, under applicable definitions, to meet the following categories:

Not to have met any hazard category.

State Right-to-Know: The following product components are cited on certain state lists as mentioned. Non-listed components may be shown in the composition section of the MSDS.

Chemical Name	CAS Number	List
Chlorodifluoroethane	000075-00-3	NJ2 PA1 NJ3
Talc	014807-96-6	PA1 NJ3

NJ2=New Jersey Environmental Hazardous Substance (present at greater than or equal to 1.0%)

NJ3=New Jersey Workplace Hazardous Substance (present at greater than or equal to 1.0%)

PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%)

OSHA Hazard Communication Standard: This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Canadian Regulations

WHMIS Information: The Canadian Workplace Hazardous Materials Information System (WHMIS) Classification for this product is:

This Product is not a "Controlled Product" under WHMIS.

Canadian Environmental Protection Act (CEPA): All substances in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

15. Other Information:

National Fire Protection Association (NFPA) Ratings:

HMIS Ratings:

Health	0
Flammability	
Reactivity	

(B) Slurry Mixture and Fiberglass Mesh

1. Composition/Information on Ingredients:

	TLV	PEL	CAS
WT%	(mg/m^3)	(mg/m^3)	<u>Number</u>
10-25	(NE)	(NE)	(NE)
35-55	10	5 (R)/15 (T	65997-15-1
< 0.3	(NE)	(NE)	24937-78-8
10-25	(NE)	(NE)	14807-96-6
20-30	(NE)	(NE)	68131-74-8
10-15	(NE)	(NE)	7732-18-5
<1	(NE)	(NE)	65997-17-3
	(NE) - Not Est	ablished	(P) - Proprietary
	10-25 35-55 <0.3 10-25 20-30 10-15	WT% (mg/m³) 10-25 (NE) 35-55 10 <0.3 (NE) 10-25 (NE) 20-30 (NE) 10-15 (NE) <1 (NE)	WT% (mg/m³) (mg/m³) 10-25 (NE) (NE) 35-55 10 5 (R)/15 (Tours) <0.3

This document was prepared pursuant to the OSHA hazard communication standard (29 CFR 1910.1200). In addition, other substances not hazardous per this OSHA standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

2. Physical and Chemical Properties:

Boiling Point	Not Applicable
Melting Point	Not Applicable
Percent Volatile	Not Applicable
Vapor Pressure	Not Applicable
Vapor Density	Not Applicable
Evaporation Rate	Not Applicable
Solubility in water	Insoluble
Specific Gravity/Density	Not Applicable
Appearance	Hard white coating
Odor	Slight cement odor
Physical State	Stable solid

3. Fire and Explosion Hazard Data:

Flash Point	Not Applicable
Flammable Limits LFL	None
Flammable Limits UFL	None
Extinguishing Media	Water spray, dry chemical, or carbon dioxide

3. Fire and Explosion Hazard Data (continued):

Hazardous Combustion Products: None known.

Fire-fighting Instructions: Use appropriate extinguishing media for surrounding fire.

Protective Fire-fighting Equipment: No special equipment is necessary.

4. Reactivity Data:

Stability: Thermally stable at typical use temperatures.

Incompatibility with Other Materials: Avoid contact with strong acids.

Hazardous Decomposition Products: Gases from strong acid degradation.

Hazardous Polymerization: Will not occur.

5. Health Hazard Data:

Eye: Due to alkali in the cement, contact with eyes will cause irritation and possible corrosion damage, burning and corneal edema. Particles will also cause mechanical irritation.

Skin Contact: Abrasion and skin irritation may occur due to alkali in the cement.

Ingestion: If ingested, caustic burns may occur in the mouth, esophagus or stomach. May be corrosive to the digestive tract.

Inhalation: Excessive exposure to dust may result in irritation of nose, throat and lungs.

Systemic (Other Target Organ) Effects: None known.

Cancer Information: Chronic exposure to dust containing silica (Quartz Crystobalite and Tridymite) can cause delayed lung injury (Silicosis) or cancer. Inhalation of Crystalline Silica may contribute to pre-existing pulmonary diseases, such as asthma and lung disorders associated with the smoking of tobacco.

Teratology (Birth Defects): None known.

Reproductive Effects: None known.

6. First Aid:

Eyes: Immediately flush eye, including under lids, thoroughly with water for 15 minutes to remove all particles. If irritation persists, consult physician.

Skin: Wash thoroughly with soap and water. If irritation remains, seek medical attention. If cement penetrates the clothing, promptly remove the clothing and wash skin. Wash clothing before wearing again.

Ingestion: Seek medical attention immediately. The use of diluents is controversial and neutralization is contraindicated.

6. First Aid (continued):

Inhalation: Remove to fresh air. Leave the area of dust exposure and remain away until coughing and other symptoms subside.

7. Handling and Storage:

Handling: Maintain good housekeeping.

Storage: Keep clean, dry and flat.

8. Accidental Release Measures:

Containment Procedures: Due to the physical nature of this product, spills are not possible.

Evacuation Procedures: None.

Cleanup Procedures: Normal clean up methods.

Special Procedures: None.

9. Exposure Controls/Personal Protection:

Respiratory Protection: If product is cut with a power saw, the saw must be equipped with a dust collector and wear a NIOSH/MSHA-approved respirator if the dust level in the work area is above the TLV or PEL. Provide general mechanical ventilation and local exhaust to meet TLV requirements. Hand score and snap to avoid creating excess dust.

Skin Protection: Wear gloves and work clothing or apron.

Eye Protection: Wear safety glasses or goggles with shields while cutting. Contact lenses should not be worn when working with Portland cement.

10. Toxicological Information:

Mutagenicity: None known.

11. Ecological Information:

Movement & Partitioning: No bioconcentration is expected.

Degradation & Persistence: No appreciable biodegradation or photodegradation is expected.

Ecotoxicity: When handled and disposed of properly, this product does not present an environmental threat.

12. Disposal Considerations:

Disposal: Dispose of waste in accordance with Federal, State and Local regulations.

For unused & uncontaminated product, pickup and reuse clean material.

13. Transportation Information:

Department of Transportation (DOT): This product is not regulated by the D.O.T. when shipped domestically by land.

Canadian TDG Information: This product is not regulated by the T.D.G. when shipped domestically by land.

14. Regulatory Information: (Not meant to be all-inclusive)

NOTICE: The information contained herein is based on data considered to be accurate. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with Federal, State/Provincial, and local laws. While the information is believed to be reliable, NO Warranty, expressed or implied, is given in regards to the accuracy of this data or the results to be obtained from the use thereof. Since the use of this information and the conditions and use of this product are controlled by the user, it is the user's obligation to determine the conditions of safe use of the product. See other sections for health and safety information.

15. Other Information:

National Fire Protection Association (NFPA) Ratings:

Health	.1
Flammability	
Reactivity	
Tredect (Tr)	• •

HMIS Ratings:

Health	1
Flammability	
Reactivity	
Personal Protection	

0 = Minimal Hazard 1 = Slight Hazard 2 = Moderate Hazard

3 =Serious Hazard 4 =Severe Hazard